



## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING	DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/868,857	68,857 06/21/2001		Phillip S. Wilson	P 281189	6439
909	7590	01/29/2004		EXAMINER VO, HAI	
PILLSBUR P.O. BOX 10	Y WINTHR	OP, LLP			
MCLEAN, VA 22102				ART UNIT	PAPER NUMBER
				1771	
				DATE MAILED: 01/29/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

•		
•	Application No.	Applicant(s)
	09/868,857	WILSON, PHILLIP S.
Office Action Summary	Examiner	Art Unit
	Hai Vo	1771
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY	VIQ SET TO EVOIDE 2 MONTU/	(S) EDOM
THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period versilite to reply within the set or extended period for reply will, by statute.  - Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).  Status	36(a). In no event, however, may a reply be ting within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed /s will be considered timely. Ithe mailing date of this communication. ED (35 U.S.C. § 133).
1) Responsive to communication(s) filed on 21 O	<u>ctober 2003</u> .	
2a)⊠ This action is <b>FINAL</b> . 2b)□ This	action is non-final.	
3) Since this application is in condition for allowar closed in accordance with the practice under E		
Disposition of Claims		
4)⊠ Claim(s) <u>1 and 2</u> is/are pending in the applicati	on.	
4a) Of the above claim(s) 2 is/are withdrawn from	om consideration.	
5) Claim(s) is/are allowed.		
6)⊠ Claim(s) <u>1</u> is/are rejected.		
7) Claim(s) is/are objected to.		
8) Claim(s) are subject to restriction and/or	r election requirement.	
Application Papers		
9) The specification is objected to by the Examine		
10) The drawing(s) filed on is/are: a) acce	. ,	•
Applicant may not request that any objection to the		
Replacement drawing sheet(s) including the correct		
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.
Priority under 35 U.S.C. §§ 119 and 120		
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents</li> <li>2. Certified copies of the priority documents</li> <li>3. Copies of the certified copies of the priorical application from the International Bureau</li> </ul>	s have been received. s have been received in Application ity documents have been receive	on No
* See the attached detailed Office action for a list of 13) Acknowledgment is made of a claim for domestic since a specific reference was included in the firs 37 CFR 1.78.  a) The translation of the foreign language pro	c priority under 35 U.S.C. § 119(est sentence of the specification or	e) (to a provisional application) · in an Application Data Sheet.
14) Acknowledgment is made of a claim for domestic reference was included in the first sentence of the		
Attachment(s)		•
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal P	(PTO-413) Paper No(s) Patent Application (PTO-152)

Art Unit: 1771

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over Karande et al (US 5,717,000) in view of Christiani et al (US 5,747,560) as evidence by Clayton Chemistry. Karande discloses a polymer foam comprising a styrenic polymer, organophilic multi-layered particles in an amount of 3 wt% and one blowing agent in an amount of about 3 wt% (abstract, table III). Karande does not specifically disclose the platelet concentration in % by volume. However, Karande discloses a polymer, foam exhibiting improved impact strength (column 5, lines 52-55), which is the same improvement disclosed in the presently the claimed product (Applicant's specification, page 4, lines 15-17). Applicant states that the amount of reinforcing particles is greater than 15% by volume, the viscosity of the composition becomes too high and thus difficult to mold. The amount of reinforcing particles is less than 2% by volume, the composition would not achieve the desired increase in strength (Applicant's specification, page 8, lines 12-20). Since the Karande's foam product exhibits the same improved impact strength as the presently claimed article, and there is no suggestion of the difficulty in processing of the foam in Karande, it is the examiner's position that the reinforcing particles in Karande must be used in a concentration (% by volume) within the claimed range to achieve that desired

Application/Control Number: 09/868,857

Art Unit: 1771

strength and expectation of successfully practicing the invention of Karande. In addition, the specific gravity of bentonite (sodium montmorillonite) is 2.6, substantially greater than the specific gravity of most resin material especially in foamed foam. Thus, given the low wt% recited in conjunction with the small colloidal particle size, the volume% would be low as well. Further evidencing the range claimed instantly disclosed in the prior art but in alternative terms. In addition, the examiner respectfully wishes to also point out that Karande is using a montmotillonite clay commercially sold as CLAYTON HY ™and the same exfoliation process to form platelet particles as Applicant (Karande, column 2, lines 11-65 vs. Applicant's specification, page 6, lines 13-14). It is well-known in the art, a montmotillonite clay has a uniform size of 0.92 nm thickness (The Clayton Chemistry, page 2) within the claimed range 0.7 to 1.2 nm. Karande discloses the polymer foam comprising single layers such as silicate layers about 1 to 100 nm thick dispersed in a continuous polymer matrix, encompassing the values as recited by the claims. Karande does not specifically disclose that the exfoliation is complete or not complete. Karande is silent as to more than about 50% of the silicates less than about 20 layers thick and more than about 99% of the silicates less than about 30 layers thick. Christiani teaches a composite material comprising a thermoplastic polymer and layers of a silicate wherein the silicate particles dispersed in matrix polymers are less than 10 layers thick and they are not completely exfoliated to improve tensile strength of the composite material (column 21, lines 58-65). Likewise, Christiani teaches 100% of the silicates less than 10 layers thick, which

Application/Control Number: 09/868,857

Art Unit: 1771

reads on the claimed subject matter. It would have been obvious to one having ordinary skill in the art at the time the invention was made to employ the reinforcing particles completely exfoliated motivated by the desire to improve tensile strength of the composite material.

## Response to Arguments

- 3. The specification objection and the art rejections have been overcome by the present amendment.
- 4. The art rejections over Karande in view of Okada as evidenced by Clayton Chemistry have been overcome by the present arguments and amendment.
- 5. Applicant's arguments with respect to claim 1 have been considered but are moot in view of the new ground(s) of rejection.

## Conclusion

6. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, THIS ACTION IS MADE FINAL. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from

Application/Control Number: 09/868,857

Art Unit: 1771

Page 5

the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hai Vo whose telephone number is (571) 272-1485. The examiner can normally be reached on M,T,Th, F, 7:00-4:30 and on alternating Wednesdays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Terrel Morris can be reached on (571) 272-1478. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (571) 272-0994.

Ula C. Ruddock

Ma Ruddock

Primary Examiner Tech Center 1700

HV